



LED SPORTVELD VERLICHTING VOCARE

**NETTO Licht opbrengst van maar liefst 165
Lumen per watt !**

LED MAX-SPORT



SPORTVELD



INDUSTRIE TERREIN



GROOT INDUSTRIE TERREIN

VOCARE LED MAX-SPORT 500

79,200LM

248PCS LED

12kg

536*165*579mm

stroomverbruik 480W



VOCARE LED MAX-SPORT 700

118,800LM

372PCS LED

16 kg

691*202*579mm

stroomverbruik 720W



VOCARE LED MAX-SPORT 1000

158,400LM

496PCS LED

20 kg

846*202*579mm

stroomverbruik 960W



VOCARE LED MAX-SPORT 1200

198,000LM

620PCS LED

24.2kg

1001*277*579mm

stroomverbruik 1200W



VOCARE LED MAX- SPORT 1500

237,600LM

744PCS LED

26.5kg

1156*277*579mm

stroomverbruik 1440W




Plus punten Vocare LED MAX SPORT armatuur

- | | |
|-----------------|--|
| ➤ LED Chip | Lumiled ultra high power LED |
| ➤ DRIVER | MEANWELL |
| ➤ CRI | Ra>70 |
| ➤ lichtkleur | 2700K tot daglicht 6500K |
| ➤ RATED VOLTAGE | AC 90-305V, 50/60Hz (400V op aanvraag) |
| ➤ POWER FACTOR | >0.95 |
| ➤ IP waterdicht | IP66 |
| ➤ HEAT SINK | ALUMINUM super-koel vinnen |

LAMP Licht opbrengst in Lumen per watt	Licht hoek	LED chip
165LM/W	60 °/90° /120°	Lumiled ultra high power LED
155LM/W	30°	Lumiled ultra high power LED

Behuizing

- Aluminum behuizing.
- geanodiseerd en poedercoat
- RVS kabel bescherming





Optische lens :

- onbreekbaar poly-carbonaat.
- maximale lichtdoorlatendheid
- verkleurd niet



Ontwerp in onderdelen





Verstelbare lens en armatuur met
Schaalverdeling in graden

Wisselbare optische lens


Armatuur is 360 graden + 140 + 250 graden draaibaar zodat
iedere hoek kan worden verlicht.



360°








250°




Perfekte licht-verdeling OP UW SPORTVELD


Voor een perfecte licht verdeling zijn de volgende lenzen beschikbaar ; 10°/30°/60°/90°/120°




Maatvoering




VOCARE MAX-SPORT 500



VOCARE MAX-SPORT 700



VOCARE MAX-SPORT 1000



VOCARE MAX-SPORT 1500